



- SEALED 46 – 51
- FULL FRAME 52 – 55
- HALF FRAME 56 – 63
- FRAMELESS 64 – 69
- READERS 70 – 73
- OVER THE SPECTACLE 74 – 75
- GOGGLES 76 – 80
- ACCESSORIES 81 – 82

HAVE AN EYE FOR SAFETY

Experts believe that proper eye protection could have prevented 90% of eye injuries in accidents. 1 in 10 eye injuries result in one or more days away from work.

Source: Prevent Blindness

FEATURES







 ADJUSTABLE NOSEPIECE	 ADJUSTABLE TEMPLES	 CO-INJECTED TEMPLES	 DIELECTRIC	 DUAL PANE LENS
 FOAM PADDING	 INCLUDES STRAP	 LOCKING TEMPLE	 MULTI LENSES	 POLARIZED OPTION
 RATCHETING TEMPLES	 RUBBER NOSEPIECE	 RUBBER TIPS	 VENTED FRAME	 VENTED LENS

SELECTION CHART

Frame / Temple Color

Number of Variations

Black Frame | 6 Variations

	SB9310ST ●●●	Clear H2X AF
	SB9310STM ●●●	Clear H2MAX AF
	SB9323ST ●●	Dark Gray H2X AF
	SB9323STM ●●	Dark Gray H2MAX AF
	SB9330ST ●●●	Amber H2X AF
	SB9380ST ●●●	I/O Mirror AF

Lens Color

Part Numbers


Certifications

Lens Descriptions

CERTIFICATIONS

- ANSI Z87.1+ High Impact ●
- CE EN166 ●
- Cert. Mod. - CAN/CSA Z94.3-15 ● third-party certification ●
- AS/NZS 1337 ●
- MIL-PRF-32432 High Velocity Impact Standards ●

MARKING CONFIRMATIONS



TREATMENTS

H2MAX ANTI-FOG COATING

The innovative technology behind the **H2MAX** creates a high performing, superior anti-fog coating that is durable enough to withstand repeated cleanings without losing adhesion. Not only does this premium treatment ensure maximum clarity in the most extreme temperature and humid conditions, but it also adds a layer to the lens that is abrasion and chemical resistant. The **H2MAX** anti-fog coating is made from non-hazardous environmental components. Coating resists scratching from steel wool up to 100g of weight. **H2MAX** passes ANSI Z87.1 standards, CE standards for N and K, and Canadian certification CAN/CSA Z94.3.



WATCH THE VIDEO
[Vimeo.com/Pyramex/H2MAX](https://vimeo.com/Pyramex/H2MAX)

i H2MAX products can be cleaned with Pyramex lens cleaning towelettes. Do not use abrasive cleaning compounds, solvents, ammonia, or alkaline cleaners.

H2X ANTI-FOG COATING

H2X provides anti-fog, anti-scratch, and anti-static protection. Even after repeated cleanings, **H2X** will continue to be effective because the coating is bonded to the lenses. The **H2X** anti-fog coating is made from non-hazardous environmental components. Coating is waterproof with excellent scratch resistance. **H2X** passes ANSI Z87.1 standards and Canadian certification CAN/CSA Z94.3.

TECHNOLOGY

POLYCARBONATE

All Pyramex safety eyewear utilize polycarbonate lenses. Polycarbonate lenses are up to 10 times more impact-resistant than plastic or glass lenses and provide 99% protection from the sun's harmful UV rays. They are lightweight and include a scratch-resistant coating to prevent surface scratches.

POLARIZED

Polarized lenses eliminate glare, increase visual clarity and enhance contrast all while reducing eye strain. We offer polarized options in forest gray, sky red mirror, green mirror, blue mirror and gray.

PHOTOCHROMIC

Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

COLORS

VISIBLE LIGHT TRANSMISSION

When light passes through a lens, some of it is absorbed and some of it is reflected back. The amount of light that passes through is known as the visible light transmission (VLT) and is represented by a percentage. Lens colors with a higher percentage of VLT will be lighter and allow more light to pass through, while lens colors with a lower percentage of VLT will be darker, blocking more light from reaching your eyes.

94% Clear	51% I/O Mirror	20% Sun Block Bronze	11% Smoke Green Mirror
89% Amber	43% Purple Haze	18% Antique Mirror	10% Forest Gray
84% Photochromic	38% Vermilion	18% Blue Mirror	10% Ice Orange Mirror
82% Pink	27% Coffee	18% Gold Mirror	10% Smoke Green
71% Infinity Blue	27% Multi-color Mirror	18% Green Mirror	7% Dark Gray
66% 1.5 IR Filter	27% Sandstone Bronze	18% Silver Mirror	2% 5.0 IR Filter
64% Arc	27% Shooter's Amber	14% Sky Red Mirror	
61% Orange	23% Bronze	13% Ice Blue Mirror	
52% Light Gray	23% Gray	11% 3.0 IR Filter	

APPLICATIONS

Use our suggested lens color guide to help decide which lens is best for the task at hand.


Outdoor Use Light Gray I/O Mirror Coffee Multi-color Mirror Sandstone Bronze Gray Sun Block Bronze Blue Mirror Gold Mirror Green Mirror Silver Mirror Sky Red Mirror Ice Blue Mirror Smoke Green Mirror Forest Gray Ice Orange Mirror Dark Gray Polarized Gray Polarized Blue Mirror Polarized Green Mirror Polarized Sky Red Mirror Polarized Forest Gray	Excessive Glare Light Gray I/O Mirror Gray Blue Mirror Gold Mirror Green Mirror Silver Mirror Sky Red Mirror Ice Blue Mirror Forest Gray Ice Orange Mirror Dark Gray Polarized Gray Polarized Blue Mirror Polarized Green Mirror Polarized Sky Red Mirror Polarized Forest Gray	Indoor Use Clear Amber Pink Infinity Blue Orange I/O Mirror Purple Haze	Enhance Contrast Amber Pink Infinity Blue Orange Purple Haze Vermilion Sandstone Bronze Shooter's Amber
		Low Light Amber Pink Infinity Blue Orange Purple Haze Shooter's Amber Sun Block Bronze	Welding 1.5 IR Filter Arc – 1.5 IR Filter 3.0 IR Filter 5.0 IR Filter

i 1.5 IR is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

Arc is great for use under the welding helmet – allowing welder to see work clearly without suffering "welder's flash burn" from surrounding welders.

SEALED

Crossover™ ANSI • CE • CSA •



Removable indirect vented rolled rubber gasket // Adjustable detachable strap with quick release

Black and Gray Frame | 3 Variations

- SBG10610DT ••• Clear H2X AF
- SBG10620DT ••• Gray H2X AF
- SBG10680DT ••• I/O Mirror AF

Gray and Lime Frame | 1 Variation

- SGL10610DT ••• Clear H2X AF



SBG106

Torser™ ANSI • CE • CSA •



Dielectric // Flexible rubber gasket // Ratchet elastic headband with quick-fit retainer // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

Black Body | 3 Variations

- GB10010TM ••• Clear H2MAX AF
- GB10020TM ••• Gray H2MAX AF
- GB10025TM ••• Light Gray H2MAX AF



Isotope™ ANSI • CE • CSA • Ballistic •



Dielectric // Interchangeable temples and neoprene strap // Temples adjust to three different lengths // Frame features a rubber gasket // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards when worn with strap // Passes D3: Droplet and Splash Test when worn with strap

Black Frame | 4 Variations

- GB9410STM •••• Clear H2MAX AF
- GB9420STM •••• Gray H2MAX AF
- GB9430STM •••• Amber H2MAX AF
- GB9480ST •••• I/O Mirror AF



WATCH THE VIDEO

Vimeo.com/Pyramex/Isotope

I-Force® and I-Force Slim ANSI • CE • CSA • AS • Ballistic •



Dual pane lens // Outer polycarbonate lens protects against the environment, while inner acetate lens prevents fogging // Outside lens is coated with anti-fog treatment // Quick release interchangeable temples and strap // Removable vented flame resistant foam carriage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

I-Force Black Frame | 4 Variations

- SB7010SDT •••• Clear Dual Pane H2X AF
- SB7020SDT •••• Gray Dual Pane H2X AF
- SB7030SDT •••• Amber Dual Pane H2X AF
- SB7080SDT •••• I/O Mirror Dual Pane AF



148 mm



157 mm

I-Force Slim Black Frame | 3 Variations

- SB7010SDNT •••• Clear Dual Pane H2X AF
- SB7020SDNT •••• Gray Dual Pane H2X AF
- SB7080SDNT •••• I/O Mirror Dual Pane AF



WATCH THE VIDEO

Vimeo.com/Pyramex/I-Force

i I-Force Slim is about 6% smaller than the I-Force.

V2G[®] ANSI • CE • CSA • AS • Ballistic •



Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 8 Variations

- GB1810ST •••• Clear **H2X** AF
- GB1810STM •••• Clear **H2MAX** AF
- GB1820ST •••• Gray **H2X** AF
- GB1820STM •••• Gray **H2MAX** AF
- GB1830ST •••• Amber **H2X** AF
- GB1850SFT • 5.0 IR Filter **H2X** AF
- GB1860SFT • 3.0 IR Filter **H2X** AF
- GB1880ST •••• I/O Mirror AF




V2G Rx Insert

RX1800
Securely snaps into place above nosepiece // Includes micro-fiber storage case // Accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

i V2G Readers on page 73.

Highlander[™] ANSI • CE •



Removable soft foam carriage // Durable frame with detachable strap

Black Frame | 5 Variations

- SBB5010DT •• Clear **H2X** AF
- SBB5020DT •• Gray **H2X** AF
- SBB5055DT •• Sky Red Mirror AF
- SBB5070DT •• Silver Mirror AF
- SBB5080DT • I/O Mirror AF

Black and Red Frame | 2 Variations

- SBR5010DT • Clear **H2X** AF
- SBR5020DT • Gray **H2X** AF

Black and Silver Frame | 2 Variations

- SSB5020DT • Gray **H2X** AF
- SSB5065DT • Ice Blue Mirror AF

i Highlander is partially foam padded which allows for airflow.



SBR50

SSB50

V3T[™] ANSI • CSA •



Vented lens and frame // Quick release strap // Flame resistant foam padding

Black Frame | 4 Variations

- SB10310ST •• Clear **H2X** AF
- SB10320ST •• Gray **H2X** AF
- SB10330ST •• Amber **H2X** AF
- SB10380ST •• I/O Mirror AF



Fyxate[™] ANSI • CSA •



Dielectric // Rubber temple tips and nosepiece // Single wraparound lens // Flame resistant foam padding available on select options // Quick release strap available on foam padded options only

Lens and Temples | 5 Variations

- SB10210S •• Clear
- SB10210ST •• Clear **H2X** AF
- SB10220S •• Gray
- SB10220ST •• Gray **H2X** AF
- SB10280S •• I/O Mirror

Foam Padded | 2 Variations

- SB10210STMFP •• Clear **H2MAX** AF
- SB10220STMFP •• Gray **H2MAX** AF



Highlander[™] Plus ANSI • CE • CSA • Ballistic •



Removable indirect vented flame resistant foam carriage // Detachable strap // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Black and Gray Frame | 5 Variations

- SBG5010DT •••• Clear **H2X** AF
- SBG5020DT •••• Gray **H2X** AF
- SBG5030DT •••• Amber **H2X** AF
- SBG5055DT •••• Sky Red Mirror AF
- SBG5080DT •••• I/O Mirror AF





i Highlander Plus is partially foam padded which allows for airflow.




XSG® ANSI • CE • CSA •

-  FOAM PADDING
-  INCLUDES STRAP
- Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

Black Frame | 4 Variations

-  GB4010ST ••• Clear **H2X AF**
-  GB4010STM ••• Clear **H2MAX AF**
-  GB4020ST ••• Gray **H2X AF**
-  GB4080ST ••• I/O Mirror AF

 XSG Readers on page 73.






XSG Kit ANSI • CE • Ballistic •

-  MULTI LENSES
-  FOAM PADDING
-  INCLUDES STRAP

Interchangeable lenses, temples, and strap // Black nylon case for storage // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 3 Interchangeable Options

-    GB4010KIT ••• Clear **H2X AF** Gray **H2X AF** Amber **H2X AF**



XS3 PLUS® ANSI • CSA • AS •

-  FOAM PADDING
-  INCLUDES STRAP
-  CO-INJECTED TEMPLES




Unique slim temple design with co-injected temple tips // Flame resistant foam padding // Detachable strap

Black Frame | 3 Variations




-  SB4610STP ••• Clear **H2X AF**
-  SB4620STP ••• Gray **H2X AF**
-  SB4680STP ••• I/O Mirror AF



PMXCEL® ANSI •



-  FOAM PADDING
-  INCLUDES STRAP
-  POLARIZED OPTION
- Flame resistant inner foam padding // Detachable strap

Black Frame | 3 Variations







-  SB7310DT • Clear AF
-  SB7320DT • Gray AF
-  SB7321DT • **Polarized** Gray AF



Proximity® ANSI • CE • CSA •

-  FOAM PADDING
-  CO-INJECTED TEMPLES
- Removable flame resistant foam padding // Lightweight spectacle – 26.3gm // Slim co-injected temples

Black Frame | 6 Variations

-  SB9310ST ••• Clear **H2X AF**
-  SB9310STM ••• Clear **H2MAX AF**
-  SB9323ST ••• Dark Gray **H2X AF**
-  SB9323STM ••• Dark Gray **H2MAX AF**
-  SB9330ST ••• Amber **H2X AF**
-  SB9380ST ••• I/O Mirror AF



Accurist® ANSI • CSA •





-  FOAM PADDING
-  CO-INJECTED TEMPLES
-  RUBBER NOSEPIECE

Flame resistant foam padding // Built-in rubber nosepiece // Co-injected temple tips





SBR87

Black Frame | 4 Variations

-  SB8710DTP ••• Clear AF
-  SB8720DTP ••• Gray AF
-  SB8725DTP ••• Light Gray AF
-  SB8770DP ••• Silver Mirror

Black and Red Frame | 2 Variations

-  SBR8710DTP ••• Clear AF
-  SBR8720DTP ••• Gray AF



FULL FRAME

Conaire™ ANSI • CSA •



Black Frame | 2 Variations

- SB10710D •• Clear
- SB10720D •• Gray



Velar™ ANSI • CE • CSA •



Black Frame | 3 Variations

- SB10410D ••• Clear
- SB10420D ••• Gray
- SB10465D ••• Ice Blue Mirror

Black and Red Frame | 1 Variation

- SBRF10445D ••• Ice Orange Mirror

White and Blue Frame | 1 Variation

- SWBL10465D ••• Ice Blue Mirror

White and Red Frame | 1 Variation

- SWR10455D ••• Sky Red Mirror



SB104




SWBL104



SWR104

Exeter® ANSI • CE • AS •




Glossy Black Frame | 7 Variations

- SB5110DT ••• Clear H2X AF
- SB5120DT ••• Gray H2X AF
- SB5133DT ••• Shooter's Amber H2X AF
- SB5155DT ••• Sky Red Mirror AF
- SB5170DT ••• Silver Mirror AF
- SB5175DT ••• Blue Mirror AF
- SB5180DT ••• I/O Mirror AF



Goliath® ANSI • CE • CSA • AS •



Black Frame | 9 Variations

- SB5610D ••• Clear
- SB5610DT ••• Clear H2X AF
- SB5620D ••• Gray
- SB5620DT ••• Gray H2X AF
- SB5621D ••• Polarized Gray
- SB5645D ••• Ice Orange Mirror
- SB5665D ••• Ice Blue Mirror
- SB5670D ••• Silver Mirror
- SB5680D ••• I/O Mirror




White Frame | 3 Variations

- SW5620D ••• Gray
- SW5655D ••• Sky Red Mirror
- SW5665D ••• Ice Blue Mirror



SW56

Solara® ANSI •



Straight back temples with rubber insert // Built-in rubber nosepiece // Extended lens



Black Frame | 5 Variations

- SB4310D • Clear
- SB4320D • Gray
- SB4360D • Infinity Blue
- SB4375D • Blue Mirror
- SB4380D • I/O Mirror

Translucent Gray Frame | 3 Variations

- STG4310D • Clear
- STG4320D • Gray
- STG4370D • Silver Mirror



STG43

Outlander® ANSI •



Dual lens style with wide temples // Soft nosepiece



Black Frame | 4 Variations

- SB8010D • Clear
- SB8020D • Gray
- SB8065D • Ice Blue Mirror
- SB8070D • Silver Mirror

Furix® ANSI •

Lightweight contemporary frame // Straight back temples

Black Frame | 4 Variations

- SB8510DT • Clear AF
- SB8515DT • Coffee AF
- SB8520DT • Gray AF
- SB8575DT • Blue Mirror AF



Azera® ANSI •



Straight back temples // Built-in rubber flange nosepiece

Black Frame | 2 Variations

- SB4410D • Clear
- SB4420D • Gray



Trifecta® ANSI •

Provides excellent eye protection for work environments with high humidity that require impact protection // Meets ANSI Z87.1 requirements for screen lenses




SB74

Black Frame | 2 Variations

- SB74WMD • Black Wire Mesh
- SB76WMD • Black Punched Steel



Zone II® ANSI • CE • AS •



Built-in rubber nosepiece // Rubber coated temple tips



Matte Black Frame | 6 Variations

- SB3310E • Clear
- SB3320E • Gray
- SB3345E • Ice Orange Mirror
- SB3365E • Ice Blue Mirror
- SB3370E • Silver Mirror
- SB3380E • I/O Mirror

Silver Frame | 5 Variations

- SS3320E • Gray
- SS3345E • Ice Orange Mirror
- SS3365E • Ice Blue Mirror
- SS3370E • Silver Mirror
- SS3375E • Blue Mirror



SS33

Monitor™ ANSI •

Conventional plastic frame with wire core temple for easy adjustment

Caramel Frame | 1 Variation

- SC210C • Clear



Pathfinder™ ANSI •

Metal frame features traditional aviator style // Integrated side shields


Gold Metal Frame | 1 Variation

- SG310A • Clear



HALF FRAME

Ever-Lite® ANSI • CE • CSA •



Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm



Black Frame | 19 Variations

SB8610D •••	Clear	SB8630D •••	Amber
SB8610DT •••	Clear H2X AF	SB8650SF •	5.0 IR Filter
SB8610DTM •••	Clear H2MAX AF	SB8660D ••	Infinity Blue
SB8620D •••	Gray	SB8660DT ••	Infinity Blue H2X AF
SB8620DT •••	Gray H2X AF	SB8660DTM ••	Infinity Blue H2MAX AF
SB8620DTM •••	Gray H2MAX AF	SB8660SF •	3.0 IR Filter
SB8623D ••	Dark Gray	SB8665D ••	Ice Blue Mirror
SB8623DT ••	Dark Gray H2X AF	SB8680D •••	I/O Mirror
SB8624D •••	Photochromic	SB8680DT •••	I/O Mirror AF
SB8625DTM ••	Light Gray H2MAX AF		

i Photochromic lenses change from clear to dark, after exposed to direct UV light. Lenses change from dark to clear, after removed from UV light.

Ever-Lite Readers on page 71.

Sitecore™ ANSI • CE • CSA •



Built-in rubber nosepiece // Flexible and ventilated temples // Ratcheting temples // Temples adjust to three different lengths



Black and Gray Frame | 6 Variations

SBG10110D ••	Clear
SBG10110DTM ••	Clear H2MAX AF
SBG10120D ••	Gray
SBG10120DTM ••	Gray H2MAX AF
SBG10130D ••	Amber
SBG10180D ••	I/O Mirror

Gray and Lime Frame | 5 Variations

SGL10110D •••	Clear
SGL10110DTM •••	Clear H2MAX AF
SGL10120D •••	Gray
SGL10120DTM •••	Gray H2MAX AF
SGL10180D •••	I/O Mirror



SBG101

Flex-Lyte™ ANSI • CE • CSA •



Soft nosepiece for snug fit // Special dielectric hinge design // Slim co-injected temples channel away sweat // Lightweight spectacle – 22 gm



SBG105

Black and Gray Frame | 5 Variations

SBG10510D ••	Clear
SBG10510DTM ••	Clear H2MAX AF
SBG10520D ••	Gray
SBG10520DTM ••	Gray H2MAX AF
SBG10580D ••	I/O Mirror

Black and Lime Frame | 5 Variations

SBL10510D •••	Clear
SBL10510DTM •••	Clear H2MAX AF
SBL10520D •••	Gray
SBL10520DTM •••	Gray H2MAX AF
SBL10580D •••	I/O Mirror

Venture 3® ANSI • CE • CSA • AS • Ballistic •



Soft, adjustable nosepiece // Ventilated frame // Adjustable co-injected rubber temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Black Frame | 9 Variations

SB5710D ••••	Clear
SB5710DT ••••	Clear H2X AF
SB5710DTM ••••	Clear H2MAX AF
SB5720D ••••	Gray
SB5720DT ••••	Gray H2X AF
SB5730D ••••	Amber
SB5760D ••••	Infinity Blue
SB5770D ••••	Silver Mirror
SB5780D ••••	I/O Mirror

i Venture 3 retail packaged products on page 143.



Venture II® ANSI • CE • CSA • Ballistic •



Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 15 Variations

- SB1810S • Clear
- SB1810ST • Clear H2X AF
- SB1820S • Gray
- SB1820ST • Gray H2X AF
- SB1830S • Amber
- SB1835S • Sun Block Bronze
- SB1840S • Orange
- SB1850SF • 5.0 IR Filter
- SB1860S • Infinity Blue
- SB1860SF • 3.0 IR Filter
- SB1870S • Silver Mirror
- SB1875S • Blue Mirror
- SB1880S • I/O Mirror
- SB1880ST • I/O Mirror AF
- SB1890S • Gold Mirror



Realtree Hardwoods HD® Frame | 3 Variations



Realtree Hardwoods HD® Frame | 3 Variations

- SH1810S • Clear
- SH1820S • Gray
- SH1830S • Amber

Maroon Frame | 1 Variation

- SMM1810S • Clear

Slate Gray Frame | 1 Variation

- SSG1810S • Clear

Metallic Blue Frame | 3 Variations

- SMB1810S • Clear
- SMB1820S • Gray
- SMB1880S • I/O Mirror



V2® Metal ANSI • CE • CSA •

Spring loaded temples allows for easy positioning // Contemporary metal frame and temples fit most facial sizes

Gun Metal Frame | 2 Variations

- SGM1810S • Clear
- SGM1820S • Gray



Gravex® ANSI •

Built-in nosepiece

Black Frame | 4 Variations

- SB8910S • Clear
- SB8910ST • Clear H2X AF
- SB8920S • Gray
- SB8980S • I/O Mirror



PMXTREME® ANSI • CE •



Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

Black Frame with Cord | 11 Variations

- SB6310SP • Clear
- SB6310STP • Clear AF
- SB6320SP • Gray
- SB6320STP • Gray AF
- SB6330SP • Amber
- SB6345SP • Ice Orange Mirror
- SB6360SP • Infinity Blue
- SB6370SP • Silver Mirror
- SB6375SP • Blue Mirror
- SB6376SP • Smoke Green Mirror
- SB6380SP • I/O Mirror

Camo Frame with Cord | 3 Variations

- SCM6310STP • Clear AF
- SCM6318STP • Sandstone Bronze AF
- SCM6320STP • Gray AF


Red Frame with Cord | 1 Variation

- SR6320SP • Gray

PMXTREME Readers on page 72.



PMXTREME LED ANSI • CE •



Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

Black Frame | 2 Variations

- SB6310SPLED • Clear
- SB6310STPLED • Clear AF

PMXTREME LED Readers on page 72.



PMXTREME Rx ANSI •



Includes RX insert which accommodates -3.0 to +3.0 prescription lenses // Take insert to local optometrist for Rx lens installation

Black Frame | 2 Variations

- SB6310STRX • Clear AF
- SB6320STRX • Gray AF

Rendezvous® ANSI • CE • Ballistic •



Adjustable nosepiece // Temples adjust to four different lengths // Lens angle aligns to proper position for work application with ratcheting lens pitch adjustment // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Black Frame | 10 Variations

- SB2810S ••• Clear
- SB2810ST ••• Clear H2X AF
- SB2820S ••• Gray
- SB2820ST ••• Gray H2X AF
- SB2830S ••• Amber
- SB2840S ••• Orange
- SB2860S ••• Infinity Blue
- SB2860ST ••• Infinity Blue H2X AF
- SB2870S ••• Silver Mirror
- SB2880S ••• I/O Mirror



Crystal Blue Frame | 1 Variation

- SCB2810S ••• Clear

Crystal Gray Frame | 1 Variation

- SCG2810ST ••• Clear H2X AF

Reatta® ANSI •



Adjustable rubber nosepiece // Straight back flexible temples // Vented lens allows airflow to prevent fogging

Charcoal Frame | 2 Variations

- SCH4810DT ••• Clear H2X AF
- SCH4820D ••• Gray


Charcoal and Blue Frame | 3 Variations

- SNC4810D ••• Clear
- SNC4820D ••• Gray
- SNC4880D ••• I/O Mirror



SNC48

Ionix® ANSI • CSA • Ballistic •




Built-in rubber nosepiece // Flexible and ventilated temples // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 6 Variations

- SB8110D ••• Clear
- SB8110DT ••• Clear AF
- SB8120D ••• Gray
- SB8120DT ••• Gray AF
- SB8165D ••• Ice Blue Mirror
- SB8170D ••• Silver Mirror



Onix® ANSI • CE • AS • Ballistic •



Ratcheting co-injected temples // Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 4 Variations

- SB4910S ••• Clear
- SB4910ST ••• Clear H2X AF
- SB4920S ••• Gray
- SB4980S ••• I/O Mirror



Black and Green Frame | 1 Variation

- SGR4910ST ••• Clear H2X AF

Black and Pink Frame | 1 Variation

- SP4910S ••• Clear



SGR49

SP49

i Onix retail packaged products on page 143.

Onix Plus ANSI • CE • AS •



Co-injected temples // Adjustable rubber nosepiece // Unique 3-angle adjustable flip lens // Outer lens flips down for applications where IR lenses are needed

Black Frame | 2 Variations

- SB4950STP ••• Clear with 5.0 IR H2X AF
- SB4960STP ••• Clear with 3.0 IR H2X AF



Fortress® ANSI •



Adjustable rubber nosepiece // Straight-back rubber coated temple tips // Vented lens allows airflow to prevent fogging

Black Frame | 4 Variations

- SB3710D ••• Clear
- SB3710DT ••• Clear AF
- SB3720D ••• Gray
- SB3780D ••• I/O Mirror



Gray Frame | 1 Variation

- SG3710D ••• Clear

Silver Frame | 2 Variations

- SS3710D ••• Clear
- SS3720D ••• Gray



SG37

SS37

Integra® ANSI • CE • CSA •



Adjustable temples ensure reliable performance



Black Frame | 5 Variations

- SB410S • Clear
- SB410ST • Clear AF
- SB420S • Gray
- SB450SF • 5.0 IR Filter
- SB460SF • 3.0 IR Filter

Black Ratchet Frame | 1 Variation

- SB410SR • Clear



Mixed Blue Frame | 1 Variation

- SM410S • Clear

Red, White & Blue Frame | 1 Variation

- SNWR410S • Clear

Blue Frame | 1 Variation

- SN410S • Clear

Red Frame | 1 Variation

- SR410S • Clear

Avanté® ANSI •



Vented frame // Flexible temples // Built-in rubber nosepiece



Black Frame | 7 Variations

- SB4510D • Clear
- SB4520D • Gray
- SB4530D • Amber
- SB4560D • Infinity Blue
- SB4570D • Silver Mirror
- SB4575D • Blue Mirror
- SB4580D • I/O Mirror

Gun Metal | 2 Variations

- SGM4510D • Clear
- SGM4520D • Gray




Silver Frame | 5 Variations

- SS4510D • Clear
- SS4520D • Gray
- SS4545D • Ice Orange Mirror
- SS4580D • I/O Mirror
- SS4585D • Ice Blue Mirror

Silver and Black Frame | 3 Variations

- SSB4510D • Clear
- SSB4520D • Gray
- SSB4570D • Silver Mirror

Surveyor® ANSI •



Rubber comfort-fit temples // Soft nosepiece

Black Temples | 4 Variations

- SB6110ST • Clear AF
- SB6120S • Gray
- SB6145S • Ice Orange Mirror
- SB6170S • Silver Mirror



Pacifica® ANSI •



Vented rubber frame // Brow guard // Adjustable ratchet temples

Black Frame | 2 Variations

- SB3410S • Clear
- SB3420S • Gray



Forum® ANSI • Ballistic •



Adjustable rubber nosepiece // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Frame | 3 Variations

- SB6610D • Clear
- SB6620D • Gray
- SB6680D • I/O Mirror



Mayan® ANSI • CE •



Integrated nosepiece // Sleek in-line ratchet temples

Black Frame | 1 Variation

- SB2610D • Clear



FRAMELESS



Endeavor™ Plus ANSI • CSA •



Built-in brow guard // Special dielectric hinge design // Curved co-injected temples // One-piece wraparound lens // Soft adjustable nosepiece // Foam padding is available in select options

Black and Gray Temples | 5 Variations

SBG9610S	••	Clear
SBG9610ST	••	Clear H2X AF
SBG9620S	••	Gray
SBG9620ST	••	Gray H2X AF
SBG9680S	••	I/O Mirror

Black and Green Temples | 4 Variations

SBGR9610S	••	Clear
SBGR9610ST	••	Clear H2X AF
SBGR9620S	••	Gray
SBGR9680S	••	I/O Mirror



Black and Gray Temples with Foam Padding | 2 Variations

SBG9610STMFP	••	Clear H2MAX AF
SBG9620STMFP	••	Gray H2MAX AF

Black and Green Temples with Foam Padding | 2 Variations

SBGR9610STMFP	••	Clear H2MAX AF
SBGR9620STMFP	••	Gray H2MAX AF

Black and Pink Temples | 2 Variations

SBP9610S	••	Clear
SBP9610ST	••	Clear H2X AF

Intrepid® II ANSI • CE • Ballistic •



Nosepiece flange eliminates pressure on bridge of nose by evenly distributing weight of glass // Flexible rubber temples provide pressure-free fit behind the ear // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Black Temples | 5 Variations

SB8810S	••••	Clear
SB8820S	••••	Gray
SB8830S	••••	Amber
SB8835S	••••	Sun Block Bronze
SB8880S	••••	I/O Mirror



TruLock® ANSI • CE • CSA •



Dielectric // Lightweight spectacle – 21 gm // Patented temples lock into place

Black Temples | 8 Variations

SB9510S	••••	Clear
SB9510ST	••••	Clear H2X AF
SB9520S	••••	Gray
SB9520ST	••••	Gray H2X AF
SB9530S	••••	Amber
SB9556S	••••	Multi-color Mirror
SB9580S	••••	I/O Mirror
SB9580ST	••••	I/O Mirror AF



WATCH THE VIDEO
Vimeo.com/Pyramex/TruLock

TruLock Multi-Colors ANSI • CE • CSA •


Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary



Multi-Color Temples | 2 Variations

S9510SMP	••••	Clear
S9520SMP	••	Gray

Itek® ANSI • CE • CSA • AS • Ballistic •



Integrated nosepiece with rubber posts // Soft co-injected rubber temple tips // Lens provides excellent side protection // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Lens and Temples | 10 Variations

S5810S	•••••	Clear
S5810ST	•••••	Clear H2X AF
S5810STM	•••••	Clear H2MAX AF
S5820S	•••••	Gray
S5820ST	•••••	Gray H2X AF
S5830S	•••••	Amber
S5860S	•••••	Infinity Blue
S5870S	•••••	Silver Mirror
S5875S	•••••	Blue Mirror
S5880S	•••••	I/O Mirror



Cortez® ANSI • CE •



Durable co-injected temples // Ribbed cushioned nosepiece



Apple Temples | 1 Variation

- SA3610S • Clear

Black Temples | 4 Variations

- SB3610S • Clear
- SB3610ST • Clear H2X AF
- SB3620S • Gray
- SB3680S • I/O Mirror

Gray Temples | 2 Variations

- SG3610S • Clear
- SG3620S • Gray

Orange Temples | 1 Variation

- S03610S • Clear

Navy Temples | 1 Variation

- SN3610S • Clear



PMXSLIM® ANSI • CE • AS •



Slim fit for smaller facial features // Soft adjustable nosepiece // Co-injected temple design includes soft rubber tips for a non-slip fit



Black Temples | 6 Variations

- SB7110S • Clear
- SB7110ST • Clear H2X AF
- SB7120S • Gray
- SB7120ST • Gray H2X AF
- SB7138S • Sandstone Bronze
- SB7180S • I/O Mirror

Neshoba™ ANSI • CE • CSA •

Frameless design with thin flexible temples // Ultra lightweight spectacle – 16 gm

Black Temples | 10 Variations

- S9710S • Clear
- S9710ST • Clear H2X AF
- S9710STM • Clear H2MAX AF
- S9720S • Gray
- S9720ST • Gray H2X AF
- S9720STM • Gray H2MAX AF
- S9730S • Amber
- S9760S • Infinity Blue
- S9770S • Silver Mirror
- S9780S • I/O Mirror



Ztek® ANSI • CE • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit



Lens and Temples | 18 Variations

- S2510S • Clear
- S2510ST • Clear H2X AF
- S2514S • 1.5 IR Filter
- S2515S • Coffee
- S2520S • Gray
- S2520ST • Gray H2X AF
- S2530S • Amber
- S2540S • Orange
- S2550SF • 5.0 IR Filter
- S2560S • Infinity Blue
- S2560SF • 3.0 IR Filter
- S2560ST • Infinity Blue H2X AF
- S2565S • Purple Haze
- S2570S • Silver Mirror
- S2575S • Blue Mirror
- S2580S • I/O Mirror
- S2590S • Gold Mirror
- S25ARCS • Arc – 1.5 IR Filter

Mini Ztek ANSI • CE • CSA •

Mini Ztek has all the great features of Ztek in a design better suited for slimmer facial sizes

i Mini Ztek is about 6% smaller than the Ztek.

S2514S is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.

S25ARCS is great for use under the welding helmet – allowing welder to see work clearly without suffering “welder’s flash burn” from surrounding welders.

Ztek Readers on page 72.

Lens and Temples | 8 Variations

- S2510SN • Clear
- S2510SNT • Clear H2X AF
- S2517SN • Pink
- S2520SN • Gray
- S2530SN • Amber
- S2560SN • Infinity Blue
- S2575SN • Blue Mirror
- S2580SN • I/O Mirror

Provoq® ANSI • CSA •



Soft nosepiece // Rubber temples



SP72

Black Temples | 11 Variations

- S7210S • Clear
- S7210ST • Clear AF
- S7220S • Gray
- S7220ST • Gray AF
- S7230S • Amber
- S7255S • Multi-Color Mirror
- S7260S • Infinity Blue
- S7270S • Silver Mirror
- S7275S • Blue Mirror
- S7280S • I/O Mirror
- S7280ST • I/O Mirror AF

Pink Temples | 1 Variation

- SP7210ST • Clear AF



Intruder® ANSI • CE • CSA •



Integrated nosepiece // Lightweight frameless protection // Foam padding is available in select options

Lens and Temples | 11 Variations

- S4110S ••• Clear
- S4110ST ••• Clear AF
- S4110SUC • Uncoated Clear
- S4120S ••• Gray
- S4120ST ••• Gray AF
- S4130S ••• Amber
- S4160S •• Infinity Blue
- S4170S •• Silver Mirror
- S4175S • Blue Mirror
- S4180S •• I/O Mirror
- S4180ST •• I/O Mirror AF

Foam Padded Frame | 3 Variations

- S4110STFP • Clear AF
- S4120STFP • Gray AF
- S4180STFP • I/O Mirror AF

Black Temples | 1 Variation

- SB4110S •• Clear

Blue Temples | 1 Variation

- SN4110S •• Clear

Red Temples | 1 Variation

- SR4110S •• Clear



i Intruder Readers on page 73.

Mini Intruder ANSI •

Mini Intruder has all the great features of Intruder in a design better suited for smaller facial sizes

Lens and Temples | 5 Variations

- S4110SN • Clear
- S4110SNT • Clear AF
- S4120SN • Gray
- S4130SN • Amber
- S4180SN • I/O Mirror



i Mini Intruder is about 8% smaller than the Intruder.

Intruder and Mini Intruder Multi-Colors

ANSI • CE • CSA •


Sold in dozen quantity only // Comes with six assorted temple colors: red, blue, green, purple, orange and black // Multi-pack includes two of each temple color with clear lenses // Perfect for work areas where color coding is necessary

Multi-Color Temples | 2 Variations

- S4110SMP ••• Clear (Intruder)
- S4110SNMP • Clear (Mini Intruder)



Achieva® ANSI •



Brow guard // Built-in rubber nosepiece // Unique rubber temple tips

Gray Temples Tips | 3 Variations

- SG6510S • Clear
- SG6510ST • Clear H2X AF
- SG6520S • Gray

Pink Temples Tips | 1 Variation

- SP6510S • Clear



Atoka® ANSI • CSA •



Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

Lens and Temples | 8 Variations

- S9110S •• Clear
- S9110ST •• Clear AF
- S9120S •• Gray
- S9120ST •• Gray AF
- S9130S •• Amber
- S9160S •• Infinity Blue
- S9180S •• I/O Mirror
- S9180ST •• I/O Mirror AF



Alair® ANSI • CE •

Straight temples // Integrated nosepiece

Lens and Temples | 7 Variations

- S3210S •• Clear
- S3210ST •• Clear H2X AF
- S3220S •• Gray
- S3260S •• Infinity Blue
- S3270S • Silver Mirror
- S3275S • Blue Mirror
- S3280S • I/O Mirror



Fastrac® ANSI •



Dielectric // Frame/lens combination provides maximum single lens protection

Lens and Temples | 2 Variations

- S1410S • Clear
- S1420S • Gray



READERS

Emerge® Plus ANSI • CSA •



Rubber temple tips // Soft nosepiece provides comfort for extended use



Full Readers Translucent Gray Frame | 7 Variations

SG9810R15	••	Clear	+1.5 Mag
SG9810R20	••	Clear	+2.0 Mag
SG9810R25	••	Clear	+2.5 Mag
SG9810R30	••	Clear	+3.0 Mag
SG9820R15	••	Gray	+1.5 Mag
SG9820R20	••	Gray	+2.0 Mag
SG9820R25	••	Gray	+2.5 Mag

Top Insert Readers Translucent Gray Frame | 2 Variations

SG9810TR15	••	Clear	+1.5 Mag
SG9810TR20	••	Clear	+2.0 Mag

i The top insert reader for the EmERGE Plus is strategically placed for applications in which user is frequently looking up.



Emerge ANSI • CE • CSA •



Soft nosepiece provides comfort for extended use // RX options accommodate an Rx lens to the maximum of +3 to -3 diopters // Available with a full reader +1.5 or +2.0 lens or as a prescription lens // Dual lens design with full eye protection // Plano, prescription, and full reader lens adaptable

Black Frame | 3 Variations

SB7910DRX	•••	Clear	
SB7910D15	••	Clear	+1.5 Mag
SB7910D20	••	Clear	+2.0 Mag

Translucent Gray Frame | 3 Variations

SG7910DRX	•••	Clear	
SG7910D15	••	Clear	+1.5 Mag
SG7910D20	••	Clear	+2.0 Mag



SG79

i Frame must be presented to your optometrist in order to be fitted with prescription lenses.

Ever-Lite® Readers ANSI • CSA •

Soft nosepiece for snug fit // Slim co-injected temples // Lightweight spectacle – 22 gm



Black Frame | 7 Variations

SB8610R15	••	Clear	+1.5 Mag
SB8610R20	••	Clear	+2.0 Mag
SB8610R25	••	Clear	+2.5 Mag
SB8610R30	••	Clear	+3.0 Mag
SB8620R15	••	Gray	+1.5 Mag
SB8620R20	••	Gray	+2.0 Mag
SB8620R25	••	Gray	+2.5 Mag

i See more Ever-Lite options on page 56.

Venture II® Readers ANSI • CE • CSA •

Temples adjust to four different lengths // Rubber nosepiece secures the glass and prevents slipping



Black Frame | 18 Variations

SB1810R10	•••	Clear	+1.0 Mag
SB1810R15	•••	Clear	+1.5 Mag
SB1810R15T	•••	Clear H2X AF	+1.5 Mag
SB1810R20	•••	Clear	+2.0 Mag
SB1810R20T	•••	Clear H2X AF	+2.0 Mag
SB1810R25	•••	Clear	+2.5 Mag
SB1810R25T	•••	Clear H2X AF	+2.5 Mag
SB1810R30	•••	Clear	+3.0 Mag
SB1820R15	••	Gray	+1.5 Mag
SB1820R20	••	Gray	+2.0 Mag
SB1820R25	••	Gray	+2.5 Mag
SB1820R30	••	Gray	+3.0 Mag
SB1830R15	•	Amber	+1.5 Mag
SB1830R20	•	Amber	+2.0 Mag
SB1830R25	•	Amber	+2.5 Mag
SB1880R15	••	I/O Mirror	+1.5 Mag
SB1880R20	••	I/O Mirror	+2.0 Mag
SB1880R25	••	I/O Mirror	+2.5 Mag

i See more Venture II options on page 58.

Ztek® Readers ANSI • CE • CSA •

Integrated nosepiece // Soft non-slip rubber temple tips provide non-binding fit

Lens and Temples | 8 Variations

■	S2510R15 •●●	Clear	+1.5 Mag
■	S2510R20 •●●	Clear	+2.0 Mag
■	S2510R25 •●●	Clear	+2.5 Mag
■	S2514R15 •	1.5 IR Filter	+1.5 Mag
■	S2514R20 •	1.5 IR Filter	+2.0 Mag
■	S2520R15 •	Gray	+1.5 Mag
■	S2520R20 •	Gray	+2.0 Mag
■	S2520R25 •	Gray	+2.5 Mag

i See more Ztek options on page 67.

S2514R is designed for peripheral personnel and visitors who are NOT exposed to direct IR radiation.



PMXTREME® Readers ANSI •

Built-in rubber nosepiece // Ventilated flexible temples with rubber temple tips // Includes black lanyard cord

Black Frame with Cord | 3 Variations

■	SB6310SPR15 •	Clear	+1.5 Mag
■	SB6310SPR20 •	Clear	+2.0 Mag
■	SB6310SPR25 •	Clear	+2.5 Mag

i See more PMXTREME options on page 59.



PMXTREME LED Readers ANSI •

Super bright swiveling LED bulbs (three lumens per side) allows you to see in dark places while keeping your hands free // Built-in rubber nosepiece and rubber temple tips // The alkaline batteries provide up to 50 hours of use before replacing. Three L44 alkaline batteries per temple (six total) are included // Easy to use push button on/off switches are located at the top of each temple

Black Frame | 3 Variations

■	SB6310STPLEDR15 •	Clear AF	+1.5 Mag
■	SB6310STPLEDR20 •	Clear AF	+2.0 Mag
■	SB6310STPLEDR25 •	Clear AF	+2.5 Mag

i See more PMXTREME LED options on page 59.



Intruder® Readers ANSI •

Integrated nosepiece // Lightweight frameless protection

Lens and Temples | 3 Variations

■	S4110R15 •	Clear	+1.5 Mag
■	S4110R20 •	Clear	+2.0 Mag
■	S4110R25 •	Clear	+2.5 Mag

i See more Intruder options on page 68.



V2G® Readers ANSI • CSA •

Flame resistant foam padding // Vented lens and frame // Interchangeable temples and strap included // Strap and temples feature ratchet adjustment with quick-fit retainer

Black Frame | 3 Variations

■	GB1810STR15 •●	Clear H2X AF	+1.5 Mag
■	GB1810STR20 •●	Clear H2X AF	+2.0 Mag
■	GB1810STR25 •●	Clear H2X AF	+2.5 Mag

i See more V2G options on page 48.



XSG® Readers ANSI • CSA •

Flame resistant foam padding // Strap has quick-fit retainer // Interchangeable temples and strap included

Black Frame | 3 Variations

■	GB4010STR15 •●	Clear H2X AF	+1.5 Mag
■	GB4010STR20 •●	Clear H2X AF	+2.0 Mag
■	GB4010STR25 •●	Clear H2X AF	+2.5 Mag

i See more XSG options on page 50.



OVER THE SPECTACLE

OTS® and OTS XL ANSI • CE • CSA • AS •



Fits over prescription glasses // Lightweight nylon temples adjust for length and pitch

OTS

Black Temples | 7 Variations

- S3510SJ ••• Clear
- S3510STJ ••• Clear H2X AF
- S3520SJ ••• Gray
- S3530SJ ••• Amber
- S3550SFJ ••• 5.0 IR Filter
- S3560SFJ ••• 3.0 IR Filter
- S3580SJ ••• I/O Mirror

OTS XL

Black Temples | 4 Variations

- S7510SJ ••• Clear
- S7510STJ ••• Clear H2X AF
- S7520SJ ••• Gray
- S7580SJ ••• I/O Mirror

i OTS XL is about 9% larger than the OTS. OTS fits over frames up to 137mm x 44mm. OTS XL fits over frames up to 151mm x 49mm.



Solo® ANSI • CE • CSA •

Temples are vented to reduce fogging

Lens and Temples | 4 Variations

- S510S ••• Clear
- S510SD ••• Clear Dispenser pack – 12 per box
- S510SJ ••• Clear Jumbo
- S520S ••• Gray

i Only S510SJ is designed to be used over prescription spectacles.



Cappture™ and Cappture with Rubber Gasket ANSI • CE • CSA •



Dielectric // Fits over prescription glasses // Temples extend from browbar to avoid interference with prescription frame's temples // Rubber gasket is available in select options

Lens and Temples | 3 Variations

- S9910ST ••• Clear H2X AF
- S9920ST ••• Gray H2X AF
- S9930ST ••• Amber H2X AF

Rubber Gasket | 2 Variations

- S9910STM RG ••• Clear H2MAX AF
- S9920STM RG ••• Gray H2MAX AF

i Cappture retail packaged product on page 143.



Defiant® ANSI • CE •



Tilt type adjustment allows optimum visibility // Temples adjust to four settings

Black Temples | 2 Variations

- SB1010S ••• Clear
- SB1010SJ ••• Clear Jumbo

i Only SB1010SJ is designed to be used over prescription spectacles.








GOGGLES

Capstone® Shield ANSI • CE • CSA •

Fully adjustable elastic band // Fits over prescription glasses // Lens is coated to prevent fogging // GG504TSHIELD goggle has a dual pane lens // Soft vinyl goggle body conforms to facial contours // Goggles pass D3: Droplet and Splash Test // Goggles pass D4: Dust Test // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Goggle combined with removable shield provides full face protection // Four ventilation holes provide airflow // Ratchet shield allows user to open or close in three positions for adjustment // Polycarbonate shield conforms to the face offering increased impact and dust protection

Lens and Shield | 5 Variations

	GG504TSHIELD •••	Clear H2X AF
	GG504DTSHIELD •	Clear Dual Pane H2X AF
	GG504TSHIELDIR3 ••	3.0 IR Filter H2X AF
	GG504TSHIELDIR5 ••	5.0 IR Filter H2X AF
	GG524TSHIELD ••	Gray H2X AF

i Fits over most prescription glasses.

Only the goggles for GG504TSHIELDIR3 and GG504TSHIELDIR5 contain IR dye. Due to the nature of the vented holes, the shield is only green tinted and does not contain the IR resin.



Capstone Face Shield and Strap

CAPSHIELD

Ratcheting shield includes strap and clips allowing the user to add to either of the Capstone 500 Series goggles // Sold as a replacement shield for GG504TSHIELD and GG504DTSHIELD



Disposable Capstone Shield Visors

VPACK6

Pack of 6 clear disposable, tear-off visors, suitable for high dust or muddy working environments



Capstone® Dual Lens ANSI • CE • CSA • AS • Ballistic •



Fully adjustable elastic strap // Fits over prescription glasses // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Soft vinyl goggle body conforms to facial contours // Provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards



Gray Body with Quick Release Strap | 1 Variation

	G504DT •••••	Clear Dual Pane H2X AF
---	--------------	-------------------------------

i Fits over most prescription glasses.

Capstone 500 ANSI • CE • CSA • AS • Ballistic •

Fits over prescription glasses // Soft vinyl goggle body conforms to facial contours // Goggle provides protection against dust and chemical splash // Removable vent caps allow the user to remove when more ventilation is required or leave in place for unsurpassed chemical splash resistance // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // GG504T passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Gray Body with Quick Release Strap | 2 Variations

	GG504T •••••	Clear H2X AF
	GG504TM •	Clear H2MAX AF

Chemical Green Body with Neoprene Strap | 1 Variation

	GC504TN ••	Clear H2X AF
---	------------	---------------------

i Fits over most prescription glasses.



GC504TN

Capstone® 600 ANSI • CE • CSA • AS • Ballistic •

Fits over prescription glasses // Indirect ventilation system prevents fogging // Includes interchangeable cloth and neoprene straps // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and contours to the user's face // Passes D3: Droplet and Splash Test // Passes D4: Dust Test // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards

Gray Body with Adjustable Strap | 1 Variation

- G604T2 ••••• Clear H2X AF

i Fits over most prescription glasses.



Capstone RL ANSI • CE •

Replaceable lens // Fits over prescription glasses // Indirect ventilation system prevents fogging // Co-material goggle provides superior protection against dust entry and chemical splash // Thermoplastic (TPE) body with universal nose bridge is flexible and conforms to facial contours // G804TRL passes D3: Droplet and Splash Test // G804TRL passes D4: Dust Test

Gray Body with Neoprene Strap | 2 Variations

- G804TRL ••• Clear H2X AF
- R804T ••• Replacement Clear H2X AF

i Fits over most prescription glasses.



V2G-Plus® ANSI • CE • CSA • AS • Ballistic •

Includes a wide adjustable elastic strap with quick release system for secure fit // TPU frame features excellent resistance to cold and heat // Thermo lens system provides excellent resistance to fog caused by temperature differences in your environment // Special indirect ventilation system located at the top and bottom of frame allows airflow and heat release // Multi-functional goggle with 180° vision protects against chemical splash, sun glare, dust, flying particles, and wind // Outer polycarbonate lens protects against the environment while an inner acetate lens prevents fogging // Inner lens is separated by a thin spacer of air and sealed together with foam // Passes Ballistic MIL-PRF-32432 High Velocity Impact standards // Passes D3: Droplet and Splash Test

Black Body with Strap | 2 Variations

- GB6410SDT ••••• Clear Dual Pane H2X AF
- GB6420SDT ••••• Gray Dual Pane H2X AF



V2G-Plus Rx Insert

RX6400

Accommodates -3.0 to +3.0 prescription lenses // Securely snaps into place above nosepiece // Includes micro-fiber storage case // Take insert to local optometrist for Rx lens installation



Top Shelf Chemical Splash Goggle ANSI • CE • CSA •

Special one-way vent allows air in while keeping liquids out // Generously sized heavy duty body and lens // Fits over prescription spectacles // Tinted body helps reduce glare // G304TN comes with a neoprene strap // Passes D3: Droplet and Splash Test // Passes D4: Dust Test

Tinted Body with Black Strap | 2 Variations

- G304 ••• Clear
- G304T ••• Clear H2X AF

Tinted Body with Neoprene Strap | 1 Variation

- G304TN • Clear H2X AF

i Fits over most prescription glasses.



Top Shelf Chemical Splash Goggle with Foam Padding ANSI •

Special one-way vent allows air to enter while keeping liquids out // Breakaway headband provides added protection and features quick-fit retainer // Fits over prescription spectacles // Tinted body helps reduce glare // Generously sized heavy duty body and lens with foam padding for comfort

Tinted Body with Black Strap | 1 Variation

- G404T • Clear H2X AF

i Fits over most prescription glasses.



Low-Profile Chemical Splash Goggle ANSI • CE •

Low-profile, modern sport design with anti-glare frame // Direct ventilation // Adjustable elastic band and soft PVC frame // Passes D3: Droplet and Splash Test

Gray Body with Black Strap | 2 Variations

- G704T ••• Clear AF
- G724T ••• Gray AF



ACCESSORIES

Wire Mesh Goggle ANSI •

Single wire mesh lens with PVC frame // Ideal for: forestry, landscaping, and agriculture applications // For work environments with extreme heat and high humidity where impact protection is required // Low-profile design with wide elastic strap provides secure fit // Soft rubber gasket seals out unwanted particles and is comfortable for all day wear // Meets ANSI Z87.1 requirements for screen lenses

Black Body with Adjustable Strap | 1 Variation

■ G9WMG • Black Wire Mesh



Chemical Splash Goggle ANSI •

Indirect ventilation // Designed to be better suited for slimmer facial sizes // Frame is extremely soft, flexible and lightweight

Blue Body with Adjustable Strap | 1 Variation

■ GN904 • Clear



Chemical Splash Goggle ANSI •

Vent caps restrict influx of liquids

Clear Body with Black Strap | 2 Variations

■ G204 • Clear
■ G204T • Clear AF



Perforated Goggle ANSI •

Goggle provides excellent ventilation

Clear Body with Black Strap | 2 Variations

■ G201 • Clear
■ G201T • Clear AF



Ventless Goggle ANSI •


Goggle provides protection against vapors

Clear Body with Black Strap | 1 Variation

■ G200T • Clear H2X AF



CLIPCORDS Clip-On Cord



CORDS Lanyard Loop



CORDS1A Cotton Cord



CORDS7A Cord with Rubber Tips



CORDS8A Breakaway Cord



CORDS9A Bungee Cord



NEOCORD Neoprene Breakaway Cord



NEO1 Neoprene Cord



CA200B Zippered Case



CA500B Hard Case



NEOCASE Neoprene Case



PYRBAGS Cloth Drawstring Spectacle Bag (6.25" x 3.75")

PYRBAGLG Large Cloth Drawstring Spectacle Bag (9.50" x 5")



PYRBAGSU Suede Drawstring Spectacle Bag (6.25" x 3.75")



CLEANCLOTH Nylon Microfiber Cleaning Cloth



IDBADGE Identification Badge Lanyard



SS100 Pliable Slip on Side Shields

Meets ANSI Z87.1 High Impact Requirements Only

i Products shown with cases are sold separately.